CIPWG's Role in Combatting Invasive Plants



Victoria Wallace and Lauren Kurtz, UConn Bryan Connolly, ECSU

History of CIPWG

- Began on March 20, 1997
- 30 people attended a meeting at the Tolland County Agricultural Center
- Organized by Les Mehrhoff and Donna Ellis
- Education and outreach are a key component
- Symposia held every 2 years since 2002

The (CIPWG Symposia, beginning in 2002 are described below:
2002	Invasive Plants in Public Landscapes: Meeting the Challenge - CT DEEP Wildlife Conservation Education Center, Sessions Woods, Burlington, CT
2004	The Silent Invaders: The Identification and Management of Invasive Plants - University of Connecticut, Lewis B. Rome Commons, Storrs, CT
2006	Working Together for the Landscape of Tomorrow - Mountainside Resort, Wallingford, CT
2008	Cherish Our Natural Heritage: Managing Invasives to Promote Native Diversity - UConn, Lewis B. Rome Commons, Storrs, CT
2010	Challenges and Successes: Working Cooperatively to Manage Invasive Plants - UConn, Lewis B. Rome Commons, Storrs, CT
2012	Getting Real About Invasive Plants: Prioritize, Strategize, Mobilize - UConn, Lewis B. Rome Commons, Storrs, CT
2014	Invasive Plants 2014: Where Are We Now? - UConn, Student Union, Storrs, CT
2016	Invasive Plants in Our Changing World: Learn from the Past, Prepare for the Future - UConn, Student Union, Storrs, CT
2018	Invasive Plants in Uncertain Times: Achieving More with Less - UConn, Student Union, Storrs, CT
2020	Realistic Solutions to Managing Invasive Plants - Online Webcast
2022	Strategies for Managing Invasive Plants: Assess, Remove, Replace, and Restore - Online

slido

Please download and install the Slido app on all computers you use





How many CIPWG Symposiums have you attended?

(i) Start presenting to display the poll results on this slide.

To **convey information** on the presence, distribution, ecological impacts, and management of invasive species; to promote uses of native or non-invasive ornamental **alternatives** throughout Connecticut; and to work cooperatively with researchers, conservation organizations, government agencies, green industries, and the general public to identify and manage invasive species pro-actively and effectively. Adopted 1 November 1999.



CIPWG now

• 1300 members on CIPWG email list

 Federal, state, and municipal staff, nonprofit conservation groups, researchers, nursery and landscaping representatives, educators, master gardeners, and interested citizens committed to educating ourselves, providing educational outreach, and promoting activities that reduce the adverse effects of invasive plants.



Pete Picone (CT DEEP) demonstrating TOH management at a volunteer event

CIPWG in Action

- Education and outreach
 - Shares opportunities for volunteers
 - Educational talks and guided hikes
 - Tabling events
- CIPWG Website with informational resources
- Disseminating research and maintaining research list
- Compiles research and best practices for managing invasive plants / pubs
- Recommendations to the Invasive Plant Council









UCONN INVASIVE PLANT FACTSHEET

CIPWG publications

Black swallow-wort (Vincetoxicum nigrum; syn. Cynanchum Iouise Pale swallow-wort (Vincetoxicum rossicum; syn. Cynanchum rossi

By Victoria Wallace, Alyssa Siegel-Miles, and Klaudia Sowizral, UConn Extension

Identifying Features:

- OVERVIEW: Perennial, herbaceous climbing vine. 3-9 ft. long, spiraling around self and up other plants in extensive patches (Figure 1). Vines can also trail along the ground: the plant cannot stand unright without sunport (Figure 2). Laboratory studies have shown allelopathic effects (release of chemicals that suppress neighboring plants' growth)
- LEAVES: Long, oval, and opposite, with a pointed tip (Figure 3); 3-4 in. long, 2-3 in. wide, with smooth edges; dark, glossy green, drying to bright yellow. Stems are twining; covered in downy hairs, clear sap runs when stem is broken
- FLOWERS: Flat. star-shaped, with 5 fused netals, forming a short tube at the base. Flowers form in early summer and grow in clusters along the length of the stem. Black swallow-wort has dark purple, triangular netals about 1/8 in, long; pale swallow-wort has slightly longer, dull pink to burgundy petals (Figure 4).
- SEED: 1.5-3 in, long pods: smooth, slender, and resembling milkweed pods in both species (Figures 5 and 6). Pods change from green to yellow to brown, then solit on one side to release mature windblown seeds in late summer to autumn. Flat, brown seeds are attached
- REPRODUCTION/SPREAD: Capable of self-pollinating, although sexual reproduction is more common. Colonizes new sites by seed: once established, spreads locally via rhizomes. A square-meter stand can produce 1.000-2,000 seeds per year. Plants initially grow slowly and do not reproduce by seed for the first several years.







Connecticus

Elimination of *Ailanthus altissima* (Chinese Tree-of-Heaven) Notes from a Workshop by Peter Picone, CT DEEP

Coogan Farm Nature and Heritage Center, 162 Greenmanville Ave, Mystic, CT June 27, 2024

Ailanthus altissima (Tree-of-Heaven, ToH) is listed as invasive in Connecticut. In addition to forming large clonal colonies that crowd out native trees and understory plants, ToH produces allelopathic chemicals that inhibit the germination of most native plants. Mature female ToH trees can produce more than 300,000 winged seeds (samaras) each year that disperse by wind to initiate new colonies. ToH also serves as a preferred host for spotted lanternfly (*Lycorma delicatula*), a sap-sucking invasive Asian planthopper that has been expanding its range into New England, threatening wine grapes, fruit orchards, timber trees and other economically important crops.

Identification of ToH. It is not difficult to distinguish ToH from other look-alike trees or shrubs with pinnately compound leaves like sumacs and walnuts. ToH has leaves with relatively smooth margins, glandular teeth at base of leaflet, alternating stems with a large V or heart-shaped bud scar, twigs with spongy brown pith, tree bark resembling cantaloupe skin, and a strong, offensive smell when any part of plant is crushed. ToH is dioecious, meaning there are separate male and female plants with only female plants producing seeds. Flowering occurs soon after the trees finish leafing out in June. Dense clusters of small greenish blooms at the branch tips develop into highly visible orange seed clusters. Control of mature female trees should be prioritized to prevent seed production.

A PRELIMINARY LIST OF DEER RESISTANT NATIVE PERENNIALS

First off, no plant is truly deer proof! Fawns will try anything once; and when there is nothing else to eat, all deer will eat plants they have never touched before. Note that in different places, deer will favor different plants, so what is billed as deer resistant may not be so on your site. Conversely, you may successfully grow a species that other people usually lose to deer. And, deer may ignore a species one year and go after it the next

Small, young plants are the most vulnerable. You will have better success if you plant larger individuals. If you are buying plants, you might want to re-pot them and let them get larger in a safe place before you plant them out.

Nurse plants can help. When planting new plants, intersperse them with a nurse plant species you have found to be highly deer resistant (often species such as mountain mints - Pycnanthemum spp., other mints, irises, ferns, sedges or grasses). After the nurse plants have done their job, you may wish to remove or thin them. If your site is informal, try "planting" some sturdy, branched twigs around and crossing over small plants.

Other barriers to deer browsing include chemical repellents and fences. People have good success with various deer repellents, but note that they need to be reapplied (typically when when you are out of town or otherwise unavailable). And, of course, you can fence your entire garden area, or put up temporary deer barriers in Winter

All the plants on this list are native to Connecticut. In the eastern USA, there has been some confusion about what plants are native where. For Connecticut and the rest of New England, the best source is the maps shown for each species at https://GoBotany.NativePlantTrust.org/

Following the plant names (alphabetized by Common Name), the Notes tell a little bit about each plant: moisture and light requirements, size, flower color and other details of appearance, and where it might be used. Some of the plants are delicate and suited to a small wildflower garden. Others can be aggressive spreaders more suited to wildflower meadows or forests and will take active management to keep them in from being too aggressive in a small garden. https://GoBotany.NativePlantTrust.org/ is a source of plant photos (geared toward I.D., not garden beauty).



Created by Emmett Varricchio and members of The Connecticut Invasive Plant Working Group These species were the Top 10 species of concern as identified by attendees of the 2016 CIPWG Symposium Japanese barberry (Berberis Multiflora Ros (Rosa multiflora) Mugwort (Artemisia vulgaris) Garlic Mustar (Alliaria petiolata) Autumn Oliv (Elaeagnus umbellata) (Phragmites australis) Mile-a-Minut (Persicaria perfoliata)

Connecticut Invasive Plant Management Calendar

INVASIVE PLANT FACTSHEET

Japanese knotweed (Fallopia japonica, syn. Polygonum cuspidatum) By Victoria Wallace, Alyssa Siegel-Miles, and Klaudia Sowizral, UConn Extension

Flowering Period Chemical: Foliar Cut/Paint Injection Mechanical: Cut Pull (seedlings) Mow

Identifying Features:

- OVERVIEW: Perennial, herbaceous. Shrubby in appearance (Figure 1). Height 6-15 ft, with a deep taproot. Allelopathic (releases chemicals that can inhibit the growth of neighboring plant species).
- LEAVES: Simple, alternate: 4-6 in long, 3-5 in wide, Broadly ovate (broad and rounded or squared at the base); come abruptly to a point (Figure 2). Emerges in early spring, initially appearing visually similar to rhubarb or bamboo, then unfurls with distinctly triangular, bright red-purple leaves that turn green over time.
- STEMS: Smooth, noticeably jointed and with reddishpurple mottling at nodes (Figure 3). Ocrea (thin sheath) present at nodes, where the stem is swollen. Hollow between nodes. Covered in a fine whitish coating that easily rubs off.
- FLOWERS: Small white/cream colored flowers occur in lacey, 3-4 in long clusters at the upper leaf axils along the length of the stem in late August-Sept. (Figure 4).
- SEED/FRUIT: Dark brown, glossy, tiny seeds are









Invasive Species Outreach Specialist

- Lauren started in January 2024
- Works on the UConn Extension Sustainable Landscapes team
- Collaborates with CT DEEP Fisheries, Boating, and Wildlife divisions, CAES OAIS on aquatic invasive species work
- Works closely with CIPWG and IPC

Process to become listed as invasive in CT

- 1. Public Submission OR CIPWG Recommendation
- 2. Reviewed by Invasive Plant Council annually
- 3. Submitted to CT General Assembly Environment Committee
- 4. Voted on by CT Legislature



Invasive Plants Council - Governor/legislative appointed

- 1. UConn CAHNR Dean/delegate
- 2. CAES Director/delegate
- 3. Commercial plant business representative
- 4. CT Nursery and Landscape Association
- 5. Wetland related organization
- 6. Environmental nonprofit
- 7. Invasive Plant Atlas of New England
- 8. Dept of Agriculture delegate
- DEEP delegate

CT Council on Soil and Water Conservation















Bantam Lake

Connecticut General Assembly Environment Committee



General Assembly

Raised Bill No. 5225

February Session, 2024

LCO No. 1167



Referred to Committee on ENVIRONMENT

Introduced by: (ENV)

AN ACT CONCERNING THE RECOMMENDATIONS OF THE INVASIVE PLANTS COUNCIL.

The **Environment Committee** works on matters relating to **DEEP** conservation, recreation, pollution control, fisheries and game, state parks and forests, water resources and flood and erosion control; and all matters relating to the Department of Agriculture, including farming, dairy products and domestic animals.

9 Criteria for Listing

1

The plant is **nonindigenous** to the state

2

The plant is
naturalized or
occurring
without the
benefit of
cultivation in
an area where
the plant is
nonindigenous

3

The plant has the biological potential for rapid and widespread dispersion and establishment in the state

4

The plant has the biological potential for excessive dispersion over habitats that are similar or dissimilar to the site of the plant's introduction

5

The plant has the biological potential for existing in high numbers outside of habitats that are intensely managed

Criteria for Listing – Continued

6

The plant occurs widely in a region of the state or a particular habitat within the state

7

The plant has numerous individuals within many populations

8

The plant can out-compete other species in the same natural plant community

9

The plant has
the potential for
rapid growth,
high seed
production and
dissemination
and
establishment in
natural plant
communities

Invasive = All Nine Criteria

Potentially
Invasive =
First Five
Criteria
+ At Least
One of
Criteria 6-9

Connecticut Invasive Plant List

Click below to view the Connecticut Invasive Plant List. The list includes Invasive and Potentially Invasive Plants as determined by the Connecticut Invasive Plants Council in accordance with Connecticut General Statutes §22a-381a through §22a-381d The list was most recently re-printed in October 2018.



CT INVASIVE PLANT LIST SORTED BY SCIENTIFIC NAME (PRINTABLE) PDF



CT INVASIVE PLANT LIST SORTED BY COMMON NAME (PRINTABLE) .PDF



CT Invasive Plant List

(P) indicates Potentially Invasive (all others are considered Invasive in Connecticut)

"Prohibited by Statute" indicates prohibited status in Connecticut:

Yes=prohibited from importation, movement, sale, purchase, transplanting, cultivation and distribution under CT General Statutes §22a-381d

Ø

N/A=not prohibited

Newly Added: Effective October 1, 2024

CIPWG subcommittee reviews plants

- Gathers information about research list plants and their occurrence in the state
- Plants are evaluated based on 9 invasive criteria (state statute)
- Review the Invasive Plant Lists of nine Northeastern states
- Stay informed about new and upcoming invasive plants



Public submission form to recommend a species

Updated July 2023

CONNECTICUT INVASIVE PLANTS COUNCIL

GUIDELINES FOR SUBMITTING A CANDIDATE SPECIES FOR COUNCIL REVIEW

<u>Please Note</u>: Be familiar with Connecticut Statutes Section 22a-381*1. Make sure that the species you are submitting to the Connecticut Invasive Plants Council for consideration as an INVASIVE SPECIES or POTENTIALLY INVASIVE SPECIES meets the criteria included in Section 22a-381b. Only one species per form. Attach additional sheets if necessary. Clearly label and put contact information on all attachments.

Please provide the following information about the species you are considering:

Scientific name	
Common name, if known	-
Native range* *By definition in CGS, an Invasive or Potentially Invasive Plant in Cor	- precticut cannot be indigenous
(native) to Connecticut. Please provide a list of any references used	9
Is this species naturalized in Connecticut? YesNoHow (i.e. Does the species exist and reproduce without cultivation in Con	-
Documentation of invasiveness in Connecticut or elsewhere (include plant lists, photographs or other forms of documentation)	e references, reports, official invas

Must provide:

- Scientific name and common name
- Native range
- Information and evidence about presence in Connecticut

Included on the list

- Prohibition on purchase/use of invasive or potentially invasive plants by state agencies
- Prohibited actions on certain invasive plants: no person shall import, move, sell, purchase, transplant, cultivate or distribute any of the following invasive plants...(this section shall not apply to the moving for eradication, research or educational purposes)



CT General Statute §22a-381a



Harkness Memorial State Park

Massachusetts

- Massachusetts bans from sale all listed invasive plants, no cultivar exemptions
- Phase out periods for some species
- Regulated by Massachusetts
 Department of Agricultural Resources

THE COMMONWEALTH OF MASSACHUSETTS

EXECUTIVE OFFICE OF ENERGY AND ENVIRONMENTAL AFFAIRS



Department of Agricultural Resources 225 Turnpike Road, 3rd Floor, Southborough, MA 01772 www.mass.gov/agr



The Massachusetts Prohibited Plant List

Following is a list of plants, including all cultivars, varieties and hybrids, for which the sale, import, trade, purchase, distribution, propagation, and related activities are currently prohibited within the state of Massachusetts:

Scientific Name	Common Name
Acer platanoides	Norway maple
Acer pseudoplatanus	sycamore maple
Aeginetia spp.	aeginetia
Aegopodium podagraria	bishop's weed; goutweed
Ageratina adenophora	crofton weed
Ailanthus altissima	tree-of-heaven
Alectra spp.	alectra
Alliaria petiolata	garlic mustard
Alternanthera sessilis	sessile joyweed
Ampelopsis brevipedunculata	porcelain-berry; Amur peppervine
Anthriscus sylvestris	wild chervil
Arthraxon hispidus	hairy joint grass; jointhead; small carpetgrass
Asphodelus fistulosus	onion weed
Avena sterilis	animated oat
Azolla pinnata	mosquito fern
Berberis thunbergii	Japanese barberry
Berberis vulgaris	common barberry; European barberry
Butomus umbellatus	flowering rush
Cabomba caroliniana	Carolina fanwort; fanwort
Cardamine impatiens	bushy rock-cress; narrowleaf bittercress
Carex kobomugi	Japanese sedge; Asiatic sand sedge
Carthamus oxyacanthus; C. oxycantha	wild safflower; jeweled distaff thistle
Caulerpa taxifolia	caulerpa
Celastrus orbiculatus	Asiatic bittersweet
Centaurea biebersteinii; C. stoebe ssp. micranthos	spotted knapweed
Chrysopogon aciculatus	pilipiliula
Commelina benghalensis	Benghal dayflower
Crupina vulgaris	common crupina
Cuscuta spp. (Non-native)	dodder
Cynanchum Iouiseae	black swallow-wort; Louise's swallow-wort
Cynanchum rossicum	pale swallow-wort
Cytisus scoparius*	Scotch broom*
Digitaria abyssinica; D. scalarum	African couch grass

^{*}See phase-out information at the end of this document

Mass. Dept. of Agricultural Resources, Mass. Prohibited Plants List

Page 1 of 4

New Hampshire

- Has a prohibited plant list no current cultivar exemptions and a watch list
- NH Department of Agriculture, Markets & Food and NH Department of Environmental Services

New Hampshire Comprehensive Invasive Plant List

NH Department of Agriculture, Markets & Food (NHDAMF) NH Department of Environmental Services (NHDES)

January 2023

SCIENTIFIC NAME ¹	SCIENTIFIC NAME ¹ SYNONYMS COMMON NAME				AQUATIC NHDES JURISDICTION		RAPID IES ⁶
Hampshire's Invasive Species Committee Prohibited (P) and regulated by the NH (NHDES). Those listed as Watch (W) are rapidly and become invasive. Lastly, Earl soon arrive or already occur in NH but n	invasive (Prohibited – P) and potentially invasive (Watch – W) plant species that e (ISC) has compiled to help promote education and awareness of these species. Department of Agriculture, Markets & Food (NHDAMF) and the NH Department not regulated, however, they exhibit some invasive characteristics that over time to tregulated, Response (EDRR) species have exhibited invasive tendencies of fully established. Where found, they are rapid response targets for eradication on Prohibited, Watch, and Early Detection Rapid Response species below the t	This includes plants of Environmental Services e could allow them to spread in the region and are likely to n before they become more	PROHIBITED? (P)	WATCH ³ (W)	PROHIBITED* (P)	WATCH ⁵ (W)	EARLY DETECTION RAPID RESPONSE SPECIES ⁴ (EDRR)
Abutilan theophrasti Medik.		Velvetleaf Indian-mallow		w			
Acer ginnala Maxim.		Amur maple		w			
Acer platanoides L.	Acer platanoides var. schwedleri Nichols.	Norway maple	Р				
Achyranthes japonica (Miq.) Nakai	Achyronthes japonica (Miq.) Nakai var. hachijoensis Honda	Japanese chaff flower		w			EDRR
Aegopodium podograria L.	Aegopodium podagraria var. variegata Bailey	Bishop's goutweed		w			
Agrostemma githago L. var. githago	Lychnis githago (L.) Scop.	Common corncockle		w			
Ailanthus altissima (P. Mill.) Swingle	Allanthus glandulosa Desv.	Tree of heaven	Р				EDRR
Aira caryophyllea L. var. caryophyllea	Aspris caryophyllea (L.) Nash	Common silver-hairgrass		w			
Aldrovanda vesiculosa L.		Waterwheel plant				w	EDRR
Alliaria petiolata (Bieb.) Cavara & Grande	Alliaria alliaria (L.) Britt.; Alliaria officinalis Andrz. ex Bieb.; Erysimum alliaria L; Sisymbrium alliaria (L.) Scop.	Garlic mustard	Р				
Allium vineale L.		Crow garlic		w			
Alnus glutinosa (L.) Gaertn.	Alnus alnus (L.) Britt.; Betula alnus L. var. glutinosa L.	European black alder	Р				EDRR
Amorpha fruticosa L.	Amorpha fruticosa var. angustifolia Pursh; Amorpha fruticosa var. oblongifolia Palmer; Amorpha fruticosa var. tennesseensis (Shuttiw. ex Kunze) Palmer	False indigo-bush		w			
Ampelopsis glandulosa (Wallich) Momiy. var. brevipedunculata (Maxim.) Momiy.	Ampelopsis brevipedunculata (Maxim.) Trautv.; Ampelopsis heterophylla (Thunb.) Sieb. & Zucc. var. amurensis Planch.; Ampelopsis heterophylla (Thunb.) Sieb. & Zucc. var. brevipedunculata C.L. Li; Cissus brevipedunculata Maxim.; Vitis brevipedunculata (Maxim.) Dippel.	Amur peppervine		w			EDRR

1

Maine

- A banned list with no current cultivar exemptions
- A Special Concern list (may be sold with signage indicating invasive
- A watch list to guide the evaluation process
- Maine Department of Agriculture, Conservation and Forestry

Invasive Species – Harmful to the Environment

Protect native species; do not plant *Rosa rugosa* in coastal areas, especially on or near sand dunes.

Ask About Alternative Plants

Alternatives include: Virginia rose and other roses, summersweet, bayberry, sweet fern, red chokeberry, beach plum and sand cherry.

Follow Species Specific Instructions Provided by the Vendor



Maine Department of Agriculture, Conservation and Forestry Rule Chapter 273, identifies Rosa rugosa as an Invasive Species of Special Concern" and requires the posting of this sign. More information is available by canning the QR code or visiting www.maine.gov/hort





Rugosa rose is special concern

Rhode Island

- List has no regulatory power
- Rhode Island Invasive Species Council created the list (Ad hoc group)



The nations of the Robot fields threater Spotian Creamil is to protect rather beforeating in Robot fields. The Creamil is an after any part that gather and corresponds on the process, destributes, colonizated and communication for management of services species, represent two of native species and not-necessarily and institutes from the contract and the process and not-necessarily and management of native species, proceedings with management and native species, proceedings and the process process and not-necessarily native species and nati

Invasive Plants in Rhode Island 2020 - by scientific name [non-regulatory]

Trees			Herbaceous/Grasses cont.		
Acer ginnala	Amur maple	L	Lepidium latifolium	Tall pepperweed	L
Acer platanoides	Norway maple	W	Lysimachia nummularia	Moneywort	L
Acer pseudoplatamus	Sycamore maple	L	Lythrum salicaria	Purple loosestrife	L
Ailanthus altissima	Tree of heaven	W	Microstegium vimineum	Japanese stiltgrass	L
Aralia elata	Japanese angelica tree	L	Miscanthus sacchariflorus		P
Aralia spinosa Her	cules' club (non-native in RI)	L	Miscanthus sinensis	Chinese silvergrass	Ĺ
Morus alba	White mulberry	L	Myosotis scorpiodes	Forget-me-not	L
Paulownia tomentosa	Princess tree	L.		ted under Aquatic)	
Phellodendron amurense	Amur cork tree	L.	Persicaria longiseta	Oriental lady's-thumb	
Populus alba	White poplar	L	r craicuria negiacia	(non-native, weedy but not	manusian
Pyrus calleryana	Callery pear	L	Persicaria maculosa	Lady's-thumb smartweed	III V II SII V C
Quercus robur	English oak	L.	2 Crancus to Mucanoma	(non-native, weedy but not	
Robinia pseudoacacia	Black locust		Phalaris arımdinacea	Reed canary grass	L
(non-e	ative in RI; weedy but not invas	ive)	Phragmites australis	Common reed	w
	5.0		Phylostachys sp.	Bamboo sp.	L
C1 I			Rammeulus ficaria	Lesser celandine	L.
Shrubs			rammemus jieuria	Lesser cerandine	- 1.
Amorpha fruticosa	False indigo	L.			
Berberis vulgaris	Common barberry	L	Vines		
Berberis thumbergii	Japanese barberry	W	Akebia quinata	Chocolate-vine	1
Calluna vulgaris	Heather	L	Ampelopsis brevipeduncula	ta Porcelain-berry	
Elaeagnus angustifolia	Russian olive	W		umpet-creeper (non-native i	n RI) I
Elaeagmus umbellata	Autumn olive	L	Celastrus orbiculatus	Oriental bittersweet	1
Euonymus alatus	Winged euonymus	W	Clematis terniflora	Autumn clematis	1
Euonymus europaeus	European spindle-tree	L.	Convolvulus arvensis	Field bindweed	
Frangula almus	Glossy buckthorn	W		(non-native, weedy but not	invasive
Ligustrum sp.	Privet spp.	W	Cynanchum Iouiseae	Black swallow-wort	1
Lonicera morrowii	Morrow's honeysuckle	w	Cynanchum rossicum	Pale swallow-wort	1
Lonicera maackii, tatarice	Other shrub h'suckles	L	Euonymus fortunei	Creeping euonymus	1
Rhammus cathartica	Common buckthorn	W	Hedera helix	English ivy	1
Rhodotypos scandens	Jet bead	L	Lonicera japonica	Japanese honeysuckle	1
Rubus phoenicolasius	Wineberry	L.	Persicaria perfoliata	Mile-a-minute vine	i
Rosa multiflora	Multiflora rose	W	Pueraria montana	Kudzu	i
Rosa rugosa	Japanese beach rose	W	Solamon dulcamara	Bittersweet nightshade	
Salix cinerea	Gray willow	W		(non-native, weedy but not	invasive
Viburnum dilatatum	Linden viburnum	L	Vinca major	Greater periwinkle	1
			Vinca minor	Lesser periwinkle	1
			Wisteria floribunda	Japanese wisteria	i
Herbaceous/Grasses			Wisteria sinensis	Chinese wisteria	i
Aegopodium podagraria	Bishop's weed	L		Charles Historia	
Alliaria petiolata	Garlic mustard	W	4		
Allium vineale	Wild garlic		Aquatic		
	(non-native, weedy but not inva-	sive)	Cabomba caroliniana	Fanwort	1
Artemisia vulgaris	Mugwort		Egeria densa	Brazilian water-weed	1
	(non-native, weedy but not inva-	sive)	Eichhornia crassipes	Water hyacinth	1
Bromus tectorum	Cheatgrass		Glossostigma cleistanthum	Mudmat	1
	(non-native, weedy but not inva-	ave)	Iris pseudacorus	Yellow iris	1
Carex kobomugi	Asiatic sand sedge	L	Lythrum salicaria	Purple loosestrife	1
Centaurea sp. (incl. jacea		L		ned under Herbaceous)	
Cirsium arvense	Creeping thistle	L	Myosotis scorpiodes	Forget-me-not	1
Datura stramonium	Jimsonweed	-	Myriophyllum aquaticum	Parrot-feather	1
	(non-native, weedy but not inva-	(avia	Myriophyllum heterophyllu.	m Variable milfoil	1
Euphorbia cyparissias	Cypress spurge	L	Myriophyllum spicatum	Eurasian milfoil	1
Fallopia sachalinensis	Giant knotweed	L	Najas minor	Brittle water-nymph	ī
Fallopia japonica	Japanese knotweed	w	Nasturtium officinale	Watercress	i
Glaucium flavum	Yellow horn-poppy	L	Rorippa nasturtium-a		
Glyceria maxima	Tall manna grass	P	Nymphoides peltata	Yellow floating-heart	1
Giyceria maxima Heracleum mantegazziani		L	Potamogeton crispus	Curly-leaved pond-weed	i
tteracieum mantegazziani Hesperis matronalis	Dame's rocket	L	Salvinia molesta	Giant salvinia	i
	LABING S FOCKEL	But .	Soft VINITAL MISTERIA		
Impatiens glandulifera	Omamental jewelweed	p	Trapa natans	Water chestnut	1

New York and Pennsylvania

- New York has cultivar exemptions and a regulated list that requires signage on nursery pots
- Pennsylvania Class A, B or C based on spread, eradication potential. Allows for cultivar exemptions of some species



Regulated burning bush in NY requires a label

Ornamental plant characteristics of concern

Easy to propagate
Adaptable
Vigorous
High fecundity





CIPWG early detection and research list









https://ipm.cahnr.uconn.edu/co nnecticut-native-perennialtree-and-shrub-availability-list/

2024 Updates to CT Invasive Plant List

Added to invasive plant list

- Callery pear Pyrus calleryana
- Quackgrass Elymus repens
- Japanese angelica tree Aralia elata
- Japanese and Chinese wisteria Wisteria floribunda and - W. sinensis

Added to prohibited from sale list

- Porcelainberry Ampelopsis brevipedunculata
- Mugwort Artemisia vulgaris

CONNECTICUT INVASIVE PLANT LIST

October 2024

Connecticut Invasive Plants Council

Ordered by Scientific Name

Statement to accompany list — January 2004: This is a list of species that have been determined by floristic analysis to be invasive or potentially invasive in the state of Connecticut, in accordance with PA 03-136. The Invasive Plants Council will generate a second list recommending restrictions on some of these plants. In developing the second list and particular restrictions, the Council will recognize the need to balance the detrimental effects of invasive plants with the agricultural and horticultural value of some of these plants, while still protecting the state's minimally managed habitats.

In May 2004, Public Act 04-203 restricted a subset of the January 2004 list making it illegal to move, sell, purchase, transplant, cultivate or distribute prohibited plants. Effective July 1, 2009, Public Act 09-52 removed the prohibition on PIstia stratiotes.

@ column Indicates growth form or habitat: A = Aquatic & Wetland; G = Grass & Grass-like; H = Herbaceous; S = Shrub; T = Tree; V = Woody Vine

Explanation of symbols after Common Name: (P) indicates Potentially Invasive (all other plants listed are considered Invasive in Connecticut)

* denotes that the species, although shown by scientific evaluation to be invasive, has cultivars that have not been evaluated for invasive characteristics. Further research may determine whether or not individual cultivars are potentially invasive. Cultivars are commercially available selections of a plant species that have been bred or selected for predictable, desirable attributes of horticultural value such as form (dwarf or weeping forms), foliage (variegated or colorful leaves), or flowering attributes (enhanced flower color or size).

"PROHIBITED BY \$TATUTE?" column indicates prohibited status: Y= prohibited from importation, movement, sale, purchase, transplanting cultivation and distribution under CT Gen. Stat. §22a-381d; N/A= not prohibited

^ indicates species that are not currently known to be naturalized in Connecticut but would likely become invasive here if they are found to persist in the state without cultivation


The taxonomic names used by the Connecticut Invasive Plants Council on the Invasive Plant List are consistent with the names used by the United States Department of Agriculture PLANTS database, accessible online at www.plants.usda.gov. The Council also maintains a list of scientific name synonyms for reference purposes.

COMMON NAME	l _@	SCIENTIFIC NAME	SYNONYMS STATUTE	
Amur maple (P)	Т	Acer ginnala Maxim.		N/A
Norway maple*	T	Acer platanoides L.		N/A
Sycamore maple (P)	Т	Acer pseudoplatanus L.		Y
Goutweed	Н	Aegopodium podagraria L.	Bishop's weed	Y
Tree of heaven	T	Ailanthus altissima (Mill.) Swingle	·	Y
Garlic mustard	Н	Alliaria petiolata (M. Bieb.) Cavara & Grande		Y
False indigo (P)	s	Amorpha fruticosa L.		Y
Porcelainberry*	٧	Ampelopsis brevipedunculata (Maxim.) Trautv.	Amur peppervine	Y
Japanese angelica tree	Т	Aralia elata		Y
Mugwort		Artemisia vulgaris L.	Common wormwood	Y
Hairy jointgrass (P)	G	Arthraxon hispidus (Thunb.) Makino	Small carpgrass	Y
Common kochia (P)	Н	Bassia scoparia (L.) A.J. Scott	Kochia scoparia ; Fireweed; Summer cypress	Y
Japanese barberry*	s	Berberis thunbergii DC.		N/A
Common barberry	s	Berberis vulgaris L.		Y
Drooping brome-grass (P)	G	Bromus tectorum L.	Cheatgrass	Y
Flowering rush (P)	Α	Butomus umbellatus L.		Y
Fanwort	Α	Cabomba caroliniana A. Gray	Carolina fanwort	Y
Pond water-starwort (P)	Α	Callitriche stagnalis Scop.		Y
Narrowleaf bittercress	Н	Cardamine impatiens L.		Y
Japanese sedge* (P)	G	Carex kobomugi Ohwi		Y
Oriental bittersweet	V	Celastrus orbiculatus Thunb.	Asiatic bittersweet	Y
Spotted knapweed	Н	Centaurea stoebe L.	Centaurea biebersteinii; Centaurea maculosa	Y
Canada thistle (P)	Н	Cirsium arvense (L.) Scop.		Y
Black swallow-wort		Cynanchum louiseae Kartesz & Gandhi	Cynanchum nigrum ; Vincetoxicum nigrum	Y
Pale swallow-wort	Н	Cynanchum rossicum (Kleo.) Borhidi	Vincetoxicum rossicum	Y
Jimsonweed (P)	Н	Datura stramonium L.		Y
Brazilian water-weed (P)	Α	Egeria densa Planchon	Anacharis; Egeria	Y
Common water-hyacinth* (P)	Α	Eichhornia crassipes (Mart.) Solms		N/A
Russian olive (P)	s	Elaeagnus angustifolia L.		Y



Callery pear (Pyrus calleryana)

- Added to the CT invasive plant list with a 3-year phase out period - Oct 2027
- Escaped ornamental
- Invades right of ways, forested areas, and open fields
- Dispersed by birds



Quackgrass (Elymus repens)

- Seed contaminant
- Introduced in 1600
- Crowds out native species, cultivated crops, and turf
- Spreads by seeds ad rhizomes





Japanese wisteria (Wisteria floribunda) and Chinese wisteria (W. sinensis)

- Escaped ornamental
- Woody vines twine tightly around host tree trunks and branches and cut through bark, causing death by girdling
- Spread by seeds and stems that root

Porcelainberry (Ampelopsis brevipedunculata)

- Already on the list, added to the prohibited from sale list October 2024
 - Escaped ornamental
 - Spread by birds (seeds) and stems that root





slido

Please download and install the Slido app on all computers you use





In your opinion, what topics about invasive plants require more attention?

⁽i) Start presenting to display the poll results on this slide.

Thank you!

